



RUTHMANNSTEIGER® T 370 – Experience a new moveability

Truck-mounted access platforms with performance data clearly above 30 metres must nowadays fulfill demanding qualities. Compact dimensions in travelling condition, light and modern carrier-chassis with optimal agility, variable jacking, max. cage load for several persons plus tools, modern control technology etc. ..

A lot of truck-mounted access platforms in this class deal with this kind of jobs with multiple telescopes and a cage arm, that leads with concerning the outreach to good performance data. They do, however, only allow a restricted moveability of the boom system.

Our new **RUTHMANNSTEIGER® T 370** was developed especially in accordance with the features demanded by our customers. Its lower and upper telescopic boom construction including moveable cage arm (Rüssel®) additionally leads therewith to a superior maximum of moveability.

With a total length of the T 370 of only 8,8 metres, to be mounted on all common carrier-chassis of the 18-ton-class, fully variable jacking and with an hydraulically telescopic cage with a width of up to 3,6 metres, it does not leave any demand open. With a working height of 37,0 metres and

an outreach of 28,00 metres the T 370 has furthermore most attractive performance data.

The cage can – by the way – also be entered and loaded for work from ground.

The newly designed operating panel inside the working cage, with large graphic display for the indications of the information and diagnosis values of the different outreach curves – depending on kind of jacking – (NEW), makes the total package of the **RUTHMANNSTEIGER® T 370** complete.



RUTHMANNSTEIGER® T 370

The cage carrying capacity of 500 kgs enables the T 370 to carry out mounting/maintenance jobs also at larger objects.

With the enormous moveability you reach every object in no time:

- 80° angle of elevation of boom
- 180° swivelling angle of upper boom
- 180° swivelling angle of articulated top boom Rüssel®
- 500 ° range of rotation
- 2 x 90 ° angle of rotation of cage
- 12,1 m telescopic extension of lower boom
- 3,7 m telescopic extension of upper boom
- 1,8 m length of articulated top boom Rüssel®

Also in this class you can fall back on the well-known and well-tried standard functions : by means of the automatic positioning system you can bring the machine into working position in no time, the fast finish of your

work is granted by the automatic return to basic position, the fully variable horizontal-vertical jacking ensures at all working sites a safe and flexible jacking, with 4-fold-movements you directly navigate to the desired place.

The enormous stroke of jacks as well as the permissible siting inaccuracy of up to 1 degree makes it possible to place the T 370 also at extreme slopes and under extreme working conditions.

The suitable 18-ton-carrier-chassis, with a wheelbase from 4,8 metres, also allows the use in big cities.

Please contact us – by phone, fax or e-mail. We would be pleased to give you more information on our proven STEIGER® and show you your profits and advantages.

RUTHMANNSTEIGER®

T 370

Working height:	37,00 m
Lifting height:	35,00 m
Outreach:	28,00 m*
Range of rotation:	500°
Swivelling angle of upper boom:	180°
Swivelling angle of Rüssel®:	180°
Size of working cage: (hydraulically extendable)	3,60 x 0,90 m
Carrying capacity of working cage:	500 kg
Telescopic extension of lower boom:	12,10 m
Telescopic extension of upper boom:	3,70 m
Permissible siting inaccuracy:	1°
Total height:	from 3,80 m
Total length:	from 8,80 m
Perm. total weight:	from 18.000 kg

* Depending on load, angle of rotation and technical outfit

